

TECHNICAL INFORMATION



MB Sprinter W907 / W910

DEMINSTALLER KIT

Introduction

Thank you for choosing AI-SONIC product!


Finnish AI-SONIC brand is developed by long term car-audio enthusiastics.

With our knowhow and passion, we have created product line that meets the needs for both competition and everyday usage.

Our team have spent countless hours to make your listening moments as an pleasant experience, and our R&D goal is to produce best possible quality and performance for every price category without compromises.

Compatibility

MB Sprinter W907 / W910



- * 6.5" 2-Way Component Speaker System with coaxial option
- * Sandblasted Stainless Steel Basket
- * Black pressed paper Cone Rubber surround
- * 1.0 inch ASV Voice Coil
- * 20mm Silk Dome Neodymium tweeter
- * 2-way passive crossover

Technical specification

S1-MB W907 910	MODEL	S1-W6.2	S1-T20
FS		64 Hz	1400 Hz
Ef	ficiency (SPL)	89 dB	89 dB
	Qts	0,8	n/a
	Vas	14,5 L	n/a
Impedance		4 Ohm	4 Ohm
Frequency response		40 Hz - 25 kHz	2 kHz - 25 kHz
Power recommendation		20-150W	20-50W

Important Safety instructions

Please read all warnings found in this manual. They inform you of the potential danger of personal injury or damage to property.

Our products are intended for use only by those possessing the necessary specialized knowledge. The relevant safety regulations regarding related auto parts, the regulations on internal vehicle safety, as well as the regulations of the authorized vehicle manufacturers should be followed diligently.

Hearing damage

Continous, excessive exposure to sound pressure levels in excess of 85dB can cause a loss of hearing. AI-SONIC components are capable of producing sound pressure levels greater than 85dB.

Volume and Driver Awareness

Use of sound components can impair your ability to hear necessary traffic sounds and may constitute a hazard while driving your automobile.

AI-SONIC accepts no liability for hearing loss, bodily injury or property damage as a result of use or misuse this product.

Working on Automobile

Do not use your automobile until all components of the loudspeaker system have been secured to the interior framework. Failure to do so may turn a component into a dangerous, flying projectile during a sudden stop or accident.

Do not drill or drive screws through any vehicle interior or carpeted floor before inspecting the underside for potential punctures to control lines or cables. Be sure to avoid all fuel lines, brake lines, electrical cable or oil lines when planning the installation.

Before beginning installation of the loudspeaker system remove the minus connector (-) from the automobile battery in order to avoid possible short circuits.

Use care when removing interior trim panels. Car manufacturers use a variety of fastening devices that can be damaged in the disassembly process.

If sheet metal must be cut or removed contact your authorized car dealer for professional advice. By damage to supporting body structures the safety certificate may be withdrawn.

! Shock Hazard!

Do not touch the connectors when the system is running!

Al-SONIC Finnish audio design

AI-SONIC is a trademark of Oy Ai-Group Ab info@audioimport.fi www.ai-sonic.com

